

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Application of: Nouri E. Hakim
Serial No.: 10/634,732
Filing Date: 08/05/2003
For: No-Spill Drinking Products
Examiner: Sue A. Weaver
Art Unit: 3727
Attorney Docket No.: 4009.052.200

Patent Application

RECEIVED
CENTRAL FAX CENTER
FEB 07 2005


Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Transmittal Letter (26 pages including this sheet)

Further to the Office Action of 08-02-2004 in the above-captioned matter, enclosed please find an Amendment and Response, including a request for a three month extension of time. The Commissioner is hereby authorized to charge all amounts due to Deposit Account No. 50-1604.


Dated: February 2, 2005

Respectfully submitted,


Morris E. Cohen (Reg. No. 39,947)
1122 Coney Island Avenue, Suite 216
Brooklyn, New York 11230-2345
(718) 859-8009 (phone)
(718) 859-3044 (fax)

CERTIFICATE OF MAILING (FACSIMILE TRANSMISSION)

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office (Technology Center 3700) at Facsimile Number 703-872-9302 on February 2, 2005.


Morris E. Cohen
Transmission Date: February 2, 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Application of:	Nouri E. Hakim
Serial No.:	10/634,732
Filing Date:	08/05/2003
For:	No-Spill Drinking Products
Examiner:	Sue A. Weaver
Art Unit:	3727
Attorney Docket No.:	4009.052.200

Patent Application

RECEIVED
CENTRAL FAX CENTER
FEB 07 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Amendment and Response to Office Action of August 2, 2004

In response to the Office Action of August 2, 2004, please amend the above-captioned application as follows:

Amendments to the Drawings begin on page 3 of this transmittal.

Amendments to the Specification begin on page 4 of this transmittal, and are followed by a replacement abstract.

Amendments to the Claims are reflected in the listing of claims which begins on page 7 of this transmittal.

Remarks begin on page 16 of this transmittal.

An **Appendix** including both an attached replacement sheet and an annotated sheet showing changes to the drawings is attached following page 23 of this transmittal.